Life Support Confirmation Form

Please return the form: EMAIL connect@energyintel.com.au FAX 03 8610 2046

We understand that some of our customers rely on the continual supply of power to their homes for life support systems. We work with our network distributors to ensure that customers who have registered their life support equipment with us are given advance written notification about planned outages in their areas. Please check that all sections of the form have been completed before returning it to us.

1. CUSTOMER DETAILS	
Title Mr Mrs Miss Ms Other	Account #
Business Name	ABN
Business Phone	Mobile Phone
Email	
2. SITE DETAILS	
Unit / Shop Number Street Address	
Suburb Postcode	State
We confirm there is Life support equipment being used by a person a Oxygen concentrator; Intermittent peritoneal Kidney dialysis machine; dialysis machine; Crigler najjar syndrome A chronic positive airways phototheraphy equipment; pressure respirator; A ventilator for life support;	t this premise. Please tick the type/s of equipment: Other (please specify)
3. CONFIRMED BY MEDICAL PRACTIONER	
Medical Provider # Date	
Signed	Medical Practitioner's Stamp
4. ELECTRICTY ACCOUNT HOLDER'S AUTHORISATION AND DECLARATION	
1. All particulars on the form are, to the best of your knowledge, true and correct.	
2. The address provided is the primary place of residence for the listed patient.	
3. You will notify Energy Intelligence Pty Ltd in writing if it wishes to de-energise the sites pertaining to this confirmation.	
4. You will notify Energy Intelligence Pty Ltd in writing if the circumstances change including the validity of information.	
5. You consents to Energy Intelligence Pty Ltd providing these details to the electricity distributor, parent retailer and if applicable your	
retailer and/or exempt network owner or operator.	
6. You understand that Energy Intelligence Pty Ltd cannot guarantee that the energy supply at your address will never be interrupted and that unplanned outages may occur without any warning.	
and any familia datages may occur without any warming.	
Print Name (s)	
Signed	/ /